L Number	Hits	Search Text	DB	Time stamp
70	24	(("6542740") or ("20020188689") or ("20030095525") or ("20020138593") or ("20020091754") or ("20030214529") or ("20030159146") or ("20030066063") or ("20020120696") or ("20020061003") or ("20020031281") or ("20020010868") or ("20020002570") or ("20010054115") or ("20010005864") or ("6718263") or ("6715131") or ("6694200") or ("6629193") or ("6610105") or ("6363178") or ("6340117") or ("6226665") or ("6042009")).PN.	USPAT; US-PGPUB	2004/10/06 09:47
71	2	JP-11231983-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:46
72	0	WO-9897570-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:46
73	0	WO-09897570-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:46
75	11	((("6542740") or ("20020188689") or ("20030095525") or ("20020138593") or ("20020091754") or ("20030214529") or ("20030159146") or ("20030066063") or ("20020120696") or ("20020061003") or ("20020031281") or ("20020010868") or ("20020002570") or ("20010054115") or ("20010005864") or ("6718263") or ("6715131") or ("6694200") or ("6629193") or ("6610105") or ("6363178") or ("6340117") or ("6226665") or ("6042009")).PN.) and (internet or brows$3 or web or server) near10 download$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:48
76	4	((("6542740") or ("20020188689") or ("20030095525") or ("20020138593") or ("20020091754") or ("20030214529") or ("20030159146") or ("20030066063") or ("20020120696") or ("20020061003") or ("20020031281") or ("20020010868") or ("20020002570") or ("20010054115") or ("20010005864") or ("6718263") or ("6715131") or ("6694200") or ("6629193") or ("6610105") or ("6363178") or ("6340117") or ("6226665") or ("6042009")).PN.) and (one adj (click or button or push)) near20 (download or Internet or web adj site or web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:12
141	672	(set-top or mobile or cellular or portable or portal or wireless) adj3 (box or unit or device or phone) near10 (stor$3 or download$3 or play$3 or display$3) near10 (webpage or page or information or data or document or video or audio or music or media or multimedia) adj5 (player or TV or PC or local adj host or computer or desktop) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:11
142	0	((set-top or mobile or cellular or portable or portal or wireless) adj3 (box or unit or device or phone) near10 (stor$3 or download$3 or play$3 or display$3) near10 (webpage or page or information or data or document or video or audio or music or media or multimedia) adj5 (player or TV or PC or local adj host or computer or desktop) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and (one adj (click or button or push)) near10 (connect$3 or link$3 or session or access$3) adj10 (Internet or web adj site or web or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:11

143	20	((set-top or mobile or cellular or portable or portal or wireless) adj3 (box or unit or device or phone) near10 (stor$3 or download$3 or play$3 or display$3) near10 (webpage or page or information or data or document or video or audio or music or media or multimedia) adj5 (player or TV or PC or local adj host or computer or desktop) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and (set-top or mobile or cellular or portable or portal or wireless) adj3 (box or unit or device or phone) near20 (link$3 or connect$3) near10 (server or Internet or web adj site or web) near10 between	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:14
-	4	(("6,526,507") or ("5,991,892")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 16:21
-	0	(device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) adj5 (prior or before) adj10 (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 13:52
-	8	(device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (prior or before) adj10 (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:40
-	4	((device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (prior or before) adj10 (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:01
-	6010	(device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:03
-	3831	((device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:06
-	10	(((device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and (link$3 or connect$3 or communicat$3) adj10 (web or website or Internet or server) adj20 (prior or before) adj10 (computer or processor or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:06
-	227	stateless adj3 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:06
-	172	(stateless adj3 client) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 16:24
-	9	(((device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and ((stateless adj3 client) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:46

-	1	(((((device or adaptor or interface) near10 (link$3 or connect$3 or communicat$3) near5 (web or website or Internet or server) with (wak$3 or connect$3 or link$3) adj5 (computer or processor or client)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and (link$3 or connect$3 or communicat$3) adj10 (web or website or Internet or server) adj20 (prior or before) adj10 (computer or processor or client)) and ((stateless adj3 client) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:07
-	1330	(709/$3 or 370/$7 or 455/$7).ccls. and (automatic or one adj (click or button or push)) near20 (download or Internet or web adj site or web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:44
-	985	((709/$3 or 370/$7 or 455/$7).ccls. and (automatic or one adj (click or button or push)) near20 (download or Internet or web adj site or web)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:44
-	50	(((709/$3 or 370/$7 or 455/$7).ccls. and (automatic or one adj (click or button or push)) near20 (download or Internet or web adj site or web)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and (one adj (click or button or push)) near20 (download or Internet or web adj site or web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:44
-	0	device adj10 (establish$3 or set$3 adj up or setup or link$3) near20 bewteen adj5 (server or website or web or Internet) near10 (computer or PC or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:45
-	0	device adj10 (establish$3 or set$3 adj up or setup) adj10 (connection or communication or session or link$3) near20 bewteen adj5 (server or website or web or Internet) near10 (computer or PC or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:43
-	345	device adj10 (establish$3 or set$3 adj up or setup) adj10 (connection or communication or session or link$3) near20 (server or website or web or Internet) near10 (computer or PC or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:43
-	225	(device adj10 (establish$3 or set$3 adj up or setup) adj10 (connection or communication or session or link$3) near20 (server or website or web or Internet) near10 (computer or PC or host)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:44
-	0	(((((709/$3 or 370/$7 or 455/$7).ccls. and (automatic or one adj (click or button or push)) near20 (download or Internet or web adj site or web)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and (one adj (click or button or push)) near20 (download or Internet or web adj site or web)) and ((device adj10 (establish$3 or set$3 adj up or setup) adj10 (connection or communication or session or link$3) near20 (server or website or web or Internet) near10 (computer or PC or host)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:50
-	115	(709/$3 or 370/$7 or 455/$7).ccls. and ((device adj10 (establish$3 or set$3 adj up or setup) adj10 (connection or communication or session or link$3) near20 (server or website or web or Internet) near10 (computer or PC or host)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:45

-	9	(((((device or adaptor or interface) near10 (link\$3 or connect\$3 or communicat\$3) near5 (web or website or Internet or server) with (wak\$3 or connect\$3 or link\$3) adj5 (computer or processor or client)) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")) and ((stateless adj3 client) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413"))) not ((device or adaptor or interface) near10 (link\$3 or connect\$3 or communicat\$3) near5 (web or website or Internet or server) with (prior or before) adj10 (wak\$3 or connect\$3 or link\$3) adj5 (computer or processor or client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 14:46
-	81	(set-top or mobile or cellular or portable or portal or wireless) adj3 (box or unit or device) near10 (stor\$3 or download\$3) near10 (webpage or page or information or data or document) adj5 (PC or local adj (host or computer or desktop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 09:42
-	57	((set-top or mobile or cellular or portable or portal or wireless) adj3 (box or unit or device) near10 (stor\$3 or download\$3) near10 (webpage or page or information or data or document) adj5 (PC or local adj (host or computer or desktop))) and (@AD < "20010413" or @PRAD < "20010413" or @RLAD < "20010413")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/06 12:04